DPW PROJECT NO. 07150 - LCSC 4TH STREET PARKING

	SHEET INDEX			
NO.	DESCRIPTION			
1	COVER SHEET			
2,3	EXISTING SITE & DEMOLITION PLAN			
4,5	PROPOSED SITE PLAN			
6-8	GRADING & STORM DRAINAGE PLAN			
9,10	UTILITY PLAN N.I.C.			
11,12	LANDSCAPE PLAN			
13	TRAFFIC CONTROL PLAN			
14	EROSION & SEDIIMENT CONTROL PLAN			
15-17	DETAILS			

AMERICAN ASSOCIATION OF STATE HIGHWAY & TRANSPORTATION OFFICIALS AMERICAN DISABILITY ACT AMERICAN NATIONAL STANDARDS INSTITUTE AMERICAN SOCIETY FOR TESTING AND MATERIALS AMERICAN WIRE GAUGE AMERICAN WATER WORKS ASSOCIATION AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DIAMETER DIMENSION RATIO
AMERICAN NATIONAL STANDARDS INSTITUTE AMERICAN SOCIETY FOR TESTING AND MATERIALS AMERICAN WIRE GAUGE AMERICAN WATER WORKS ASSOCIATION AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
AMERICAN SOCIETY FOR TESTING AND MATERIALS AMERICAN WIRE GAUGE AMERICAN WATER WORKS ASSOCIATION AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DIAMETER DIMENSION RATIO
AMERICAN WIRE GAUGE AMERICAN WATER WORKS ASSOCIATION AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
AMERICAN WATER WORKS ASSOCIATION AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
AUXILIARY BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
BEST MANAGEMENT PRACTICE CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
CALIPER CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
CENTER LINE CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
CLASS CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
CONTROL POINT CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
CUBIC YARD DUCTILE IRON DIAMETER DIMENSION RATIO
DUCTILE IRON DIAMETER DIMENSION RATIO
DIAMETER DIMENSION RATIO
DIMENSION RATIO
DIMENSION RATIO
DRAWING
EAST, EASTING
ELECTRICAL
ELEVATION
FLOWLINE
GALLON
NVERT ELEVATION
INEAR FEET
EFT
MAXIMUM
MINIMUM
NORTH, NORTHING
NOT IN CONTRACT
NUMBER
NATIONAL SCIENCE FOUNDATION
ON CENTER
DUTSIDE DIAMETER
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION
PROPERTY LINE
POUNDS PER SQUARE INCH
POLYVINYL CHLORIDE
POINT OF VERTICAL INTERSECTION
RADIUS
RIGHT
SOUTH
SCHEDULE
STORM DRAIN
STANDARD DIMENSION RATIO
SQUARE FEET
SANITARY SEWER
STATION
STANDARD
STANDARD SQUARE YARD

AGENCIES				
CALL BEFORE YOU DIG	1-800-342-1585			
QWEST COMMUNICATIONS LOCATE	1-800-553-4344			
AVISTA UTILITIES	1-208-798-1473			
CABLE ONE	1-208-746-3325			
CITY OF LEWISTON PUBLIC WORKS	1-208-746-3671			
THOMAS, DEAN & HOSKINS - ENGINEER	1-208-746-0938			
SCOTT BROWN - LCSC FACILITIES	1-208-792-2247			

LEWISTON, IDAHO SECTION 1, TOWNSHIP 35 N, RANGE 6 W DATE: FEBRUARY 22, 2008



VICINITY MAP NOT TO SCALE


GENERAL NOTES

- 1) THE CONTRACTOR SHALL INVESTIGATE ON SITE AND VERIFY ALL CONDITIONS AND DIMENSIONS OF THE PROJECT AND SHALL NOTIFY THE ENGINEER OF ANY DISCREPANCY IN THE CONTRACT DOCUMENTS REQUIRING MODIFICATION PRIOR TO PROCEEDING.
- 2) THE CONTRACTOR SHALL COORDINATE THE WORK SCHEDULE SO AS TO HAVE A MINIMUM IMPACT ON THE EXISTING TRAFFIC.
- 3) SITE DISTANCES FOR ABUTTING PROPERTIES, DRIVEWAYS, AND INTERSECTIONS MUST BE MAINTAINED.
- 4) THE CONTRACTOR SHALL TAKE ALL NECESSARY PREVENTATIVE MEASURES TO PROTECT THE EXISTING IMPROVEMENTS. ANY DAMAGE SHALL BE REPLACED AT NO COST TO THE OWNER.
- 5) OWNER'S PROPERTY CORNERS SHALL BE PROTECTED AT ALL TIMES AND THE CONTRACTOR SHALL RETAIN THE SERVICES OF A PROFESSIONAL LAND SURVEYOR REGISTERED IN THE STATE OF IDAHO TO REFERENCE ALL CORNERS. UPON COMPLETION OF THE PROJECT, ANY EXISTING CORNERS DAMAGED BY CONSTRUCTION SHALL BE REPLACED BY A PROFESSIONAL LAND SURVEYOR AT THE EXPENSE OF THE CONTRACTOR.
- 6) IMPROVEMENTS CONSTRUCTED ON RIGHT-OF-WAY REQUIRE A RIGHT-OF-WAY PERMIT OBTAINED AT THE CONSTRUCTION MANAGEMENT SECTION OF THE PUBLIC WORKS DEPARTMENT.
- 7) THE CONTRACTOR SHALL PAY FOR AND SECURE ALL NECESSARY PERMITS AND FEES.
- 8) ALL WORK SHALL CONFORM TO STATE AND LOCAL CODES AND CONFORM TO THE CITY OF LEWISTON STANDARD DRAWINGS AND STANDARD TECHNICAL SPECIFICATIONS EXCEPT AS OTHERWISE SPECIFIED OR APPROVED BY THE ENGINEER.
- 9) UPON COMPLETION, CONTRACTOR SHALL PROVIDE AS-BUILT DRAWINGS, COMPLETE WITH ELEVATIONS, TO THE ENGINEER OF RECORD.
- 10) THIS PROJECT SHALL BE GUARANTEED BY THE CONTRACTOR FOR A PERIOD OF ONE (1) YEAR FROM THE DATE OF FINAL ACCEPTANCE OF ALL WORK. ANY DEFECTS IN MATERIAL OR WORKMANSHIP WITHIN THIS PERIOD SHALL BE IMMEDIATELY CORRECTED BY THE CONTRACTOR AT NO COST TO THE OWNER.

UTILITY LOCATION

THE LOCATIONS OF UNDERGROUND UTILITIES REPRESENTED ON THIS DRAWING HAVE BEEN DETERMINED FROM A FIELD SURVEY AND FROM RECORDS OBTAINED FROM THE VARIOUS UTILITY COMPANIES. THE NUMBER AND LOCATIONS OF ALL UNDERGROUND UTILITIES SHOWN ARE FOR INFORMATIONAL PURPOSES ONLY. FOR YOUR SAFETY, STATE LAW REQUIRES THAT YOU CALL THE LOCAL "ONE—CALL" UNDERGROUND UTILITY LOCATING CENTER AT LEAST TWO WORKING DAYS BEFORE BEGINNING ANY EXCAVATION: 1—800—342—1585

"CALL BEFORE YOU DIG"




LEGEND

EXISTING DESCRIPTION

		ASPHALT
	□TV	CABLE TV RISER
	(S)	CLEANOUT
a	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	CONCRETE
825	825	CONTOUR
		CURB (STRAIGHT)
		CURB & GUTTER
		DRYWELL
		ELECTRICAL BOX
*	Ø	FIRE HYDRANT
	G	GAS LINE
	←	GUY WIRE
		INLET
		IRRIGATION VALVE
	*	LIGHT
•	0	MANHOLE
	× ×	POWER POLE
P/L		RIGHT-OF-WAY / PROPERTY
	s ———	SANITARY SEWER LINE
825.00		SPOT ELEVATIONS
SD —	SD ———	STORM DRAIN LINE
•	q	TRAFFIC SIGN
		TREE - CONIFEROUS
		TREE - DECIDUOUS
	———— Е ———	UNDERGROUND ELECTRICAL
w ———	w ————	WATER LINE
	w	ABANDONED WATER LINE
(WATER METER
H	\bowtie	VALVE
	\(\)	YARD HYDRANT

	ITEM	INSPECTOR / CO.	DATE INSPECTED	INITIAL
1.	SOILS COMPACTION - TRENCH BACKFILLING - STRUCTURAL FILLS		-	control contro
2.	WATER MAINS - ALIGNMENT AND GRADE - JOINTS ALIGNMENT - THRUST BLOCKS - HYDROSTATIC PRESSURE - CHLORINATION/BACTERIA			
3.	SEWER MAINS - ALIGNMENT AND GRADE - JOINTS ALIGNMENT - MANHOLES - PRESSURE TEST			
4.	STREET - SUBGRADE COMPACTION - BASE COMPACTION - ASPHALT COMPACTION			



RKIN V SC. 1 (5) 07150 LEWIS 0 50 4

CAD NO. L06020-01 .DWG
SHEET 1 OF 17