

2 Enlarged Site Plan - Service Yard / Loading Dock

SCALE: 1/16" = 1'-0"

Keyed Notes

1. CONCRETE SIDEWALK - TYPICAL. REFER TO CIVIL.

2. ASPHALT PAVING - TYPICAL. REFER TO CIVIL.

3. CONCRETE CURB - TYPICAL. REFER TO CIVIL.

4. HC ACCESSIBLE PATH OF TRAVEL WITH PAINTED STRIPING. COMPLY WITH CITY OF LEWISTON STANDARDS.

5. LANDSCAPE AREA - TYPICAL. REFER TO LANDSCAPING.

6. HC CONCRETE CURB CUT / RAMP. REFER TO CIVIL.

7. SLOPE ASPHALT UP TO TOP OF CURB AND CONCRETE APRON TO ACHIEVE 0" CURB DEPTH IN LOADING AREA. REFER TO CIVIL.

8. CONCRETE APRON - FLUSH WITH ASPHALT. REFER TO CIVIL.

9. EDGE OF ASPHALT. REFER TO CIVIL.

10. PARKING SPACE STRIPING - TYPICAL. REFER TO DETAIL

11. PRECAST CONCRETE PANEL RETAINING WALL. REFER TO STRUCTURAL,

12. DOCK BUMPER ON WALL - TYPICAL.

13. SHIP'S LADDER. REFER TO DETAILS 7/A1.30 AND 8/A1.30. 14. EQUIPMENT STORAGE ENCLOSURE. PROVIDE CONCRETE STRIP

AROUND PERIMETER.

15. TRASH COMPACTOR - OWNER FURNISHED, CONTRACTOR INSTALLED. REFER TO ELECTRICAL.

16. STEEL BOLLARDS. ONE PAIR AT EACH COLUMN - TYPICAL. REFER TO DETAIL 5/A1.30.

17. 6" THICK CONCRETE APRON. REFER TO CIVIL. FLUSH OUT WITH SIDEWALK AND FINISHED FLOOR.

18. 6" THICK CONCRETE PAD. REFER TO CIVIL. FLUSH OUT WITH ASPHALT AND FINISHED FLOOR.

19. TRANSFORMER AND PAD. PROVIDE STEEL BOLLARDS AT ALL FOUR CORNERS. REFER TO ELECTRICAL.

20. HV SWITCH ELECTRICAL VAULT. REFER TO ELECTRICAL.

21. ELECTRICAL GENERATORS AND TRANSFER SWITCHES. REFER TO ELECTRICAL.

22. DRAIN. REFER TO CIVIL AND MECHANICAL.

23. CHAINLINK ENCLOSURE. REFER TO DETAIL 9/A1.30.

24. UNDERGROUND CONCRETE WATER UTILITY VAULT. REFER TO

25. CONCRETE STAIRS AND HANDRAIL. REFER TO DETAIL 4/A1.30.

26. OVEN CONDENSERS BY OWNER - DOUBLE STACKED.

27. FUTURE PAVED ASPHALT PARKING AREA AND LANDSCAPE

28. BIKE RACK - SEVEN (7) BIKE CAPACITY. REFER TO DETAIL

NOTE: DIMENSIONS ARE FOR DESIGN REFERENCE ONLY. REFER TO CIVIL FOR FULL HORIZONTAL CONTROL DIMENSIONS.

GARY M. BERNARDO STATE OF IDAHO

Site Developmen January 21, 2011 Enlarged Site Pla Entry Plaza, Serv